Approved For Release 2000/08/07 : CIA-RDP96-00788r001300280002-7 February 1982 Final Report Covering the Period October 1980 to September 1981 RV RELIABILITY, ENHANCEMENT, AND EVALUATION (U)

ਿੰਮਰ√ed For Release 2000/08/07 : CIA-RDP96-00788r001300280002-7

CONTENTS

LIST	OF ILLUSTRATIONS	V
LIST	OF TABLES	v
I	OBJECTIVE	1
11	INTRODUCTION	3
III	RV ENHANCEMENT TASK	7
	A. Tasking	7
	B. Coordinate RV (CRV)	7
		8
		.1
		.3
	*	.5
IV	VRV TASAS	
	A. Ry lasking.	.5
	B. RV Session Format	L5
	C. Pre- and Post Task Calibration	15
	D. FY 1981 RV Sites	L 6
	E. Evaluation of the RV Task	20
v	SUMMARY OF THE FY 1981 RV ENHANCEMENT TASK	21
Appe	ndices	
	A REPRESENTATIVE SAMPLE OF CRV PRACTICE SITES	23
	TASK SUMMARY SHEETS	27
	C AN EXAMPLE OF A REMOTE VIEWING RESPONSE	53
	D RV EVALUATION PROTOCOLS	31
	E A SAMPLE RETURNED EVALUATION PROTOCOL	59

ILLUSTRATIONS

1	RV Enhancement Program	4
2	Schematic Representation of Remote Viewer Response to CRV Situation	g
3	Stage 3 Remote Viewing (Wotje Atoll)	12
4	Presession Calibration Trial (Mount Kilimanjaro) (a) Site, (b) RV Response	17
5	Postsession Calibration Trial (Canyonlands National Park) (a) Site, (b) RV Response	18

TABLES

1	Stages in Remote Viewing .	• - •			•	•	•	•	•	•	•	•	•	10
2	Remote Viewing	Tasks	(FY	1981)	•	•	•	•	•	•.	. •	•	•	19

I OBJECTIVE

The objective of the RV Reliability, Enhancement, and Evaluation Task is to develop techniques to enhance remote viewing (RV), both to enhance the potential for applications,

II INTRODUCTION

SRI International is tasked with assessing the potential of RV for applications.* In this task, as defined for fiscal years

(FY) 1981 through 1983, special emphasis is placed on the possibility that enhancement techniques can be developed that will significantly increase levels of accuracy and reliability.

The three-year effort focuses on (1) the development of techniques to enhance the accuracy and reliability of RV, (2) the application of RV, (3) the evaluation of such techniques and applications, and (4) the integration of RV.

The apportionment of these efforts over the three-year period is shown in Figure 1.

Investigation of the RV phenomenon at SRI International over the past decade has ranged from basic research for proof or the lack of proof of the existence of the phenomenon to applications in which the existence of the phenomenon is assumed. The present study emphasizing applicability is the latter type--proof of the phenomenon is not explicitly pursued here. Some pragmatic measure of demonstration of existence is provided, however, by assessment of the quality of results obtained in tests carried out under double-blind conditions.

In this report we discuss the effort for FY'81. This effort consisted of:

^{*} RV is the acquisition and description, by mental means, of information blocked from ordinary perception by distance or shielding.



- (1) The development of a six-stage RV training procedure, which we hypothesized would lead to improved RV performance.
- (2) The beginning of orientation/application/testing of the procedure with four experienced and one novice remote viewer.
- (3) The generation of data by the experienced remote viewers
- (4) The development of a first-generation series of evaluation sheets (and an associated computerized data-base management system) for use by analysts in providing numerical estimates of various aspects of the RV product.

III RV ENHANCEMENT TASK

A. Tasking

SRI International is tasked with working toward the development of RV enhancement procedures

Of particular interest are the development of procedures that can be transmitted to others in a structured fashion (i.e., "training" procedures), and that can be used in targeting on distant sites

B. Coordinate RV (CRV)

One targeting procedure, which we have been investigating at SRI since 1972, is an abstract procedure known as "coordinate remote viewing (CRV)." In this procedure, the target site coordinates (latitude and longitude in degrees, minutes, and seconds) are given (with no further information) to the individual who is to view the site. The remote viewer is then asked simply to proceed on the basis of the coordinates alone.*

Admittedly, such an abstract targeting procedure seems without basis, at least with regard to the present scientific paradigm. As a result we can make no claim for the technique other than the purely pragmatic one that it appears to work. It can only be pointed out that the possibility of success in such a protocol is in accord with an observed "goaloriented" nature of the laws that appear to govern such functioning. An investigation into the general problem of target acquisition has been carried out and reported in R. Targ, H. Puthoff, B. Humphrey, and C. Tart, "Investigations of Target Acquisition," Research in Parapsychology, 1979 (Scarecrow Press, Inc., Metuchen, N.J., 1980).

Approved For Release 2000/08/07: CIA-RDP96-00788r001300280002-7

C. Overview of the RV Enhancement Procedure

Specifically under investigation at the present time is an RV enhancement procedure developed by I. Swann, an SRI consultant. The procedure focuses on improving reliability of remote viewing by controlling those factors that tend to introduce noise into the RV product. Following is a summary overview of the Swann CRV procedure. A detailed historical and technical summary is being prepared as a separate technical report.

Two major sources of noise have been found: (1) noise caused by factors in the environment of the remote viewer, and (2) noise arising within the viewer as a result of cognitive processes (analysis/interpretation).


Noise from the environment, peripheral visual clutter or sounds in the environment (even subliminal) can intrude on perceptual and thought processes and degrade the RV response. Actions or statements by the session monitor can similarly distract the remote viewer.

"Internally generated" noise seems to be produced in the remote viewer himself. With the application of a "stimulus" (e.g., the reading of a coordinate) a momentary burst of "signal" appears to enter into awareness for a few seconds and then fade away. At this point memory and imagination appear to fill in the void, thus producing "noise" in the RV product. This effect is presumably produced by a need to resolve the ambiguity associated with the fragmentary nature of emerging perceptions. (This relationship is schematically diagrammed in Figure 2.) To prevent this effect disciplined rejection of premature interpretations and conclusions is necessary.

The techniques designed to handle these noise problems involve

(1) repeated coordinate presentation and quick-reaction response on the
part of the remote viewer to minimize the imaginative overlays, (2) the
use of a specially designed, acoustic-tiled, featureless room with

Approved For Release 2000/08/07 : CIA-RDP96-00788r001300280002-7 **UNCLASSIFIED**



homogeneous coloring, to minimize environmental overlay, and (3) the adoption of a strictly prescribed, limited monitor behavior to minimize monitor overlay.

The training protocol as presently structured proceeds through a series of six stages of proficiency, hypothesized to correspond to six stages of increasing contact with the target site. These are outlined in Table 1.

Table 1
STAGES IN REMOTE VIEWING

	Stage	Example
(1) (2)	Major gestalt	Land surrounded by water, an island
(3)	Sensory contact Dimension, motion, mobility	Cold sensation, wind-swept feeling Rising up, a panoramic view
(4)	Quantitative aspects	Three large buildings, clustered together as a facility.
(5)	Special qualitative aspects	Scientific research, live organisms
(6)	Significant analytical aspects	Size of site

During FY 1981, Swann worked on developing the details of the six-stage RV enhancement procedure under investigation by serving as a remote viewer himself for over 200 training trials for sites from around the globe. Coordinates for site acquisition and data for feedback and analysis were obtained from National Geographic, World Aeronautical Charts, USGS topographical maps and the like. To indicate the range and type of sites employed, a representative sample of sites used in CRV practice from November 1980 are listed in Appendix A.


D. Transfer of RV Enhancement Technology

Swann instructed three other experienced remote viewers (#009, #131, and #504) in theory classes. Application of the theory was carried out on the basis of practice RV training trials on around-the-globe sites (over 60 each) by the remote viewers. Toward the end of the FY 1981 effort, the first novice remote viewer (#622) was introduced into the training task so that we could begin to obtain data on the response of inexperienced personnel to the training program as structured. This remote viewer had over 50 RV trials.

observed the theory classes and acted as monitor for several of the practice sessions to monitor the progress of the RV enhancement program. Both also acted as monitors for RV tasks, which provided additional data on progress of the program (Section IV).

Although detailed formal evaluation of the training program is not scheduled until mid FY 1982, some general observations of progress in RV enhancement can be made. The experienced remote viewers (#009, #131, #504) were taken through Stage 3 in the theory orientation sessions, and reliable data were obtained through Stage 2 into Stage 3 in the RV training trials. The remote viewers experienced some difficulty in adjusting to this "retraining" because some of the experienced remote viewers had to modify the style which they had developed. This adoption of style did not, however, appear to interfere with their ability to perform well using the RV enhancement techniques under study.

Figure 3 is an example of what is meant by Stage 3 Remote Viewing (dimension, motion, mobility). The (blind) target site was Wotje Atoll in the Marshall Islands in the Pacific. For a good rendition an ability to "move" around the site is required to outline the shape of the island, associated reef, buildings, and so forth.



STAGE 3 REMOTE VIEWING (WOTJE ATOLL)

3

FIGURE 3

UNCLASSIFIED

UNCLASSIFIED

Approved For Release 2000/08/07: CIA-RDP96-00788r001300280002-7

The novice remote viewer was given orientation through Stage 2, and has produced reliable data through Stage 1 to date. In contrast with the experienced remote viewers, the novice viewer experienced no particular difficulty in becoming familiar with the codified RV enhancement procedure.

E. Summary of the RV Enhancement Technique

The RV enhancement techniques may be summarized as follows:

- (1) The codified multistage approach to data acquisition inherent in the RV enhancement procedure appears to "slow down" the incoming data successfully, thereby providing some safeguard against the natural tendencies of the remote viewer to interpret and analyze prematurely.
- (2) The data being generated within the structure being investigated appear to result in briefer transcripts with higher signal-to-noise ratios compared to previous results. The gain appears to be both in the quality of individual trials and in the reliability from trial to trial.
- (3) Knowledge of the hypothesized multistage process of site acquisition appears to provide some predictive value about the quality of the RV product. The data that do not emerge more or less in the staged order tend to have a higher percentage of overlay.

This page intentionally left blank.

14

UNCLASSIFIED

Approved For Release 2000/08/07 : CIA-RDP96-00788r001300280002-7

Approved For Release 2000/08/07 : CIA-RQP96-00788r001300280002-7



A. RV Tasking

applied RV, both to determine the potential for application and to provide data

In response to this requirement, SRI responding to quick-reaction requirements set by representatives monitoring the progress of the work.

B. RV Session Format

The format for carrying out these tasks during FY 1981 is as follows. A request for information is forwarded to COTR in residence at SRI. He then provides targeting information (e.g., coordinates) to an SRI RV session monitor at start of session, who then works with a remote viewer to obtain data. In this format, SRI personnel are generally blind to the source of the request and the type of site or event of interest. In many cases the COTR monitors the RV session, or even conducts the session himself.

C. Pre- and Post Task Calibration

In an effort to determine whether a remote viewer is "on-line" before attempting an task, a presession calibration trial of a site of the kind selected from the National Geographic is carried out. If the results are good, the task is engaged; if not, the task is aborted. In like fashion, a postsession calibration trial is carried out

to provide an estimate of whether the viewer remained "on-line" during the task.

Examples of pre- and post-session calibration trials for Site J.S. #17 are shown in Figures 4 and 5. In these examples the characteristics of the new technique under consideration can be noted: brevity of response from repeated coordinate presentation; physical sensations associated with the site; labeling of analytical overlays (AOL) to distinguish them from signal; and general progression through the stages.

In the case of these calibration trials accompanying Site J.S. #17, good results obtained in the calibration trials correlated well with good results on the task. Based on these kinds of results, data will be collected throughout the program to determine whether pre- and post- session calibration trials can reliably provide useful indicators for estimating the quality of data obtained in the RV task.

D. FY 1981

The tasks carried out during FY 1981 are listed in Table 2. Additional detailed data are provided in the Task Summary Sheets provided in Appendix B. Complete documentation (transcripts, evaluations, etc.) can be made available

An example of a RV response is given in Appendix C.

Арргомеф Пот Rel 1 1 60 1 4 5 6 1: 15 E DDP96-00788r001300280002-7





FIGURE 4 (U) PRE-SESSION CALIBRATION TRIAL (MOUNT KILIMANJARO)
(a) SITE, (b) RV RESPONSE

UNCLASSIFIED

Approved For Release 2000/08/07 : CIA-RDP96-00788r001300280002-7

Approved For Release 2000/08/07 : CIA-RDP96-00788r001300280002-7 **CPYRGHT**



UNCLASSIFIED

FIGURE 5 (U) POST-SESSION CALIBRATION TRIAL (CANYONLANDS NATIONAL PARK) (a) SITE, (b) RV RESPONSE

18

UNCLASSIFIED

Table 2

OPERATIONAL REMOTE VIEWING TASKS (FY 1981)

	Date	Viewer
Target	7/1/80, 9/30/80	#002
3. #8,	10/12/80	#131, #009
S. #9,	12/22/80	#131
	1/16/81, 1/17/81	#131, #009
.s. #10,	1/17/81	#009, #131
r.s. #11,	4/2/81	#002
J.S. #13,	4/3/81	#002
J.S. #14,	4/7/81	#002
J.S. #15,	4/8/81	#002
J.S. #16,	4/8/81	#002
J.S. #17,	4/9/81	#002
J.S. #18,4	4/21/81	#009
J.S. #19,	4/24/81	#009
0.00	6/22/79, 7/5/79	#009
J.S. #20,	6/8/81, 6/9/81	#002
	7/30/81, 8/3/81 8/4/81, 8/5/81	#002 #002

Table 2 (concluded)

Target	Date	Viewer
J.S. #21,	8/6/81	#002
J.S. #22,	9/15/81	#009

E. Evaluation of the RV Task

A first-generation series of evaluation protocols were developed for use by analysts in providing numerical estimates of various aspects of to RV product generated in RV tasks. The returned protocols constitute the basis for contractor evaluation, feedback to the remote viewer, and as input for the computerized data-base management (DBM). The evaluation protocols submitted to analysts for their completion are provided in Appendix D. A sample returned evaluation protocol (for Site J.S. #17) is included as Appendix E.

While awaiting the bulk of evaluation protocols, the contractor has begun development of a computerized data-base management system to handle this material. This system, programmed on a stand-alone LSI 11/23 system located in a project classified space, will provide a library/catalog function of data-base readout by date, site, viewer, etc., and trend analysis functions.

V SUMMARY OF THE FY 1981 RV ENHANCEMENT TASK

Progress in the FY 1981 RV Enhancement Task can be summarized as follows:

(1) Efforts completed:

- · CRV enhancement procedure developed.
 - All six stages researched
 - Over 200 CRV practice trials with Swann
 - Orientation through Stage 3 into Stages 4 and 5 completed.
- Procedure transmitted to three experienced remote viewers.
 - Over 60 CRV practice trials each
 - Orientation through Stage 3 completed
- Procedure transmitted to one novice remote viewer
 - Over 50 CRV practice trials
 - Orientation through Stage 1 completed
- Data obtained on Sites J.S. #8 through J.S. #22.
- First-generation evaluation protocols developed, distributed to nalysts.

(2) Findings to date:

- Subject to formal evaluation in FY 1982, the multistage approach to RV in the procedure under evaluation appears to be successful in "slowing down" the incoming data, thereby providing some safeguard against natural tendencies toward premature interpretation and analysis on the part of the remote viewer.
- The use of pre- and post- calibration trials appears to provide useful indicators for bracketing the quality of data obtained in tasks.

Results labeled as useful are being obtained in asks, where the enhancement procedure under evaluation is being employed.

22

Appendix A

REPRESENTATIVE SAMPLE OF CRV PRACTICE SITES (Swann, 3 through 7 November 1980)

Approved For Release 2000/08/07: CIA-RPP96-00788r001300280002-7

Appendix B

TASK SUMMARY SHEETS

Approved For Release 2000/08/07 : CIA-RDP96-00788r001300280002-7



Appendix B

Date 1 Ju	ly 1980; 0900 hrs
Series	
Session No.	1
Target No.	J.S. #8
Target	
Remote Viewer	#002
Interviewer	
Beacon(s)	CRV (Coordinate Remote Viewing)
Tape Cassette	#32
Comments:	
with SRI	RVer #002.
2. Session	interviewer was blind as to the target.
	post-session calibration experiments were carried out gets Oahu, Hawaii and the Dead Sea, respectively.



Date 30 S	eptember 1980; 0911 hrs	
Series		
Session No	2	
Target No.	J.S. #8 (continued)	
Target		
Remote Viewer	#002	
Interviewer	H. Puthoff	
Beacon(s)	CRV	· .
Tape Cassette _	43	

- 1. Saw large earthworks.
- 2. Followed up with a <u>National Geographic</u> calibration (Belfast, Ireland), which was successful.



Date 2 0	ctober 1980; 0825 hrs	
Series		
Session No.	3	:
Target No.	J.S. #8 (completed)	
Target		
Remote Viewer	#002	
Interviewer	H. Puthoff	
Beacon(s)	CRV	
Tape Cassette	45	

- Pre-session and post-session calibration scans of San Juan, Puerto Rico and Stornoway, Scotland were successful.
- Continued description of immense facility, both overground and underground.

SRI International

31

333 Ravenswood Ave. • Menlo Park, CA 94025 • (415) 326-6200 • Cable: SRI INTL MNP • TWX: 910-373-1246

19 December 1980; 1823 hrs



Series

Session No. 1
Target No. J.S. #9
Target
Remote Viewer #131
Interviewer H. Puthoff
Beacon(s) CRV (Coordinate Remote Viewing)
Tape Cassette 100 & 101
Comments:
1. Coordinate supplied to interviewer Puthoff
2. Remote viewer blind as to target location, event, etc. Interviewer knowledgeable only that event was suspected nuclear, but blind as to target, country, etc.
3. Two calibration experiments with Nat'l Geographic targets were carried out to determine whether remote viewer was "on-line," one prior to target (Yosemite Park, CA), and one mid-session on (Muscat, Oman); both were excellent.
4. Without prompting or cue, remote viewer described location as an islan and outlined its topography (correctly),

32

SRI International



Date22	2 December 1980; 1555 hrs
Series	
Session No.	2 (completed)
Target No.	• · · ×
Target	
Remote Viewer	#131
Interviewer	
Beacon(s)	CRV (Coordinate Remote Viewing)
Tape Cassette _	102
Comments:	

- 1. Continuation of Session 16--see comments there.
- 2. Coordinates of
- 3. Purpose of session primarily to obtain answers to questions on first session

SRI International

33

333 Ravenswood Ave. • Menlo Park, CA 94025 • (415) 326-6200 • Cable: SRI INTL MNP • TWX: 910-373-1246



Date16 January 1981, 1550 hrs
Series
Session No.
Target No. J.S. #10
Target
Remote Viewer #131
Interviewer H. Puthoff
Beacon(s) CRV (Coordinate Remote Viewing)
Tape Cassette 105 & 108
Comments:
1. Coordinates supplied to interviewer Puthof: Language Suppose entering into session.
2. Remote viewer and interviewer blind as to target location, activity of interest, etc.
3. Calibration experiment with Nat'l Geographic target carried out just prior to task result good, remote viewer "on-line."
4.

SRI International

34

333 Ravenswood Ave. • Menlo Park, CA 94025 • (415) 326-6200 • Cable: SRI INTL MNP • TWX: 910 01300280002-7



Data 17	January 1981; 0911 hrs			
Date				
Series				
Session No				
Target No.	J. S. #10			
Target				
Remote Viewer	#009			
Interviewer	H. Puthoff			
Beacon(s)	CRV (Coordinate Remote Viewing)			
Tape Cassette	106			
-				

- Coordinate supplied to interviewer Puthof 16 January when RVer #131 targeted.
- Remote viewer blind as to target location, activity of interest, etc. Interviewer knowledgeable only as to target country.



Date	17 January 1981; 1230 hrs
Series	
Session No	
Target No.	J.S. #11
Target	
Remote Viewer	#131
Interviewer	H. Puthoff
Beacon(s)	CRV (Coordinate Remote Viewing)
Tape Cassette	109

- Coordinate supplied to interviewer Puthoff
- At session start remote viewer and interviewer blind as to target on 16 Janua location and target activity of interest. Mid-session, interviewer consulted atlas and became thereby knowledgeable as to target countrythis was not made known to the remote viewer.
- Calibration experiment with Nat'l Geographic target carried out just target (calib., Flores, Guatemala); result good, indicating remote viewer "on-line."



Date 1	7 January 1981; 123	0 hrs				
Series						• ·
Session No						•
Target No.	J.S. #11		·			
Target					:-	
Remote Viewer	#009					
Interviewer _						
Beacon(s) CRV	(Coordinate Remote	Viewing)	(Coordinates	not given	to viewer:	"Target"
Tape Cassette				I	ohrase used	instead)
		•				

- 1. At session start remote viewer and interviewer blind as to target location and target activity of interest. Mid-session, interviewer consulted atlas and became thereby knowledgeable as to target country—this was not made known to remote viewer.
- 2.



Date	2 April 1981; 0912 hrs
Series	
Session No.	
Target No.	J.S. #12
Target	
Remote View	er#002
Interviewer	H. Puthoff
Beacon(s)	CRV (Coordinate Remote Viewing)
Tape Casset	te

- 1. Coordinate supplied to interviewer Puthoff
- 2. Remote viewer and interviewer blind as to target location and target activity of interest.
- 3. Pre-session calibration experiment with Nat'l Geographic target (Buenos Aires, Argentina) yielded good results, indicating high probability that remote viewer "on-line" to start. Post-session calibration (Dusky Sound, New Zealand) was equivocal, indicating that the remote viewer may have gone "off-line" during or after the viewing. Caution is therefore advised.
- 4. Viewer described a "science-city" type of site, with radio towers, chemical storage, and medical facilities.



Date3	3 April 1981; 0905 hrs			
Series			×	
Session No.			· · · · · · · · · · · · · · · · · · ·	
Target No.	J.S. #13			
Target				
Remote Viewer _	#002		_	
Interviewer			*	_
Beacon(s)	CRV (Coordinate Remote Vi	ewing)	· · · · · · · · · · · · · · · · · · ·	
Tape Cassette _	111			

- 1. Coordinate supplied to interviewer
- 2. Remote viewer and interviewer blind as to target location and target activity of interest.
- 3. Pre-session calibration experiment with Nat'l Geographic target (Istanbul, Turkey) yielded good results, indicating high probability that remote viewer "on-line" to start. Post-session calibration (Mt. Ararat, Turkey) "off-line," indicating possibility that target of interest might be equivocal. Remote viewer's confidence low, aborts.
- 4. Viewer describes large noisy factory with cranes, and water contained by stone walls.



Date	7 April 1981; 0928 hrs
Series	
Session No	
Target No.	J.S. #14
Target	
Remote Viewer	#002
Interviewer	H. Puthoff
Beacon(s)	CRV (Coordinate Remote Viewing)
Tape Cassette	1

- Comments:
 - 1. Coordinate supplied to interviewer Puthoff
 - 2. Remote viewer and interviewer blind as to target location and target activity.
 - 3. Pre-session calibration experiment with Nat'l Geographic targets (Zagreb, Yugoslavia, and Monument Valley, Utah) yielded good results, indicating high probability that remote viewer "on-line" to start. Post-session calibrations (Jordan River; San Antonio, Texas) good and poor, respectively, indicating some fatigue in functioning toward end. Some caution with regard to exercised.
- 4. Remote viewer described vast structures, partly subterranean, with storage function.

8r001300280002-7



Date	8 April 1981; 0827 hrs
Series	
Session No	o
Target No	J.S. #15
Target	
Remote Vie	ewer#002
Interviewe	H. Puthoff
Beacon(s)	CRV (Coordinate Remote Viewing)
Tape Casse	ette113

1. Coordinate supplied to interviewer Puthoff



- 2. Remote viewer and interviewer blind as to target location and target activity.
- 3. Pre-session calibration experiments with Nat'l Geographic targets (Mt. McKinley, Sea of Galilee, Grand Canyon, St. Vincent Island) yielded acceptable results, indicating fair probability that remote viewer on-line to start. Mid-session calibration (Chapala dry lake bed, Mexico) of medium quality. Post-session calibrations (Great Salt Lake, Utah, Robinson Crusoe Island, Mt. Ararat) of good quality. Overall expectation for
- 4. Remote viewer described what appears to be a facility

SRI International

41



Date	8 April 1981; 1055 hrs
Series	
Session No.	
Target No.	J.S. #16
Target	
Remote Viewer	#002
Interviewer	H. Puthoff
Beacon(s)	CRV (Coordinate Remote Viewing)
Tape Cassette	114

- 1. Coordinate supplied to interviewer Puthoff
- and the same of th
- 2. Remote viewer and interviewer blind as to target location and target activity.
- 3. Remote viewer described large facility, energy producing, perhaps nuclear reactor.

SRI International

42

333 Ravenswood Ave. • Menlo Park. CA 94025 • (415) 326-6200 • Cable: SRI INTL MNP • TWX: 910-373-1



Date9	April 1981; 0853 - 0919 hrs	
Series		
Session No.		
Target No.	J.S. #17	<u> </u>
,		
Target		
Remote Viewer	#002	
Interviewer	H. Puthoff	
Beacon(s)	CRV (Coordinate Remote Viewing)	
Tape Cassette		

- Coordinate Coordinate supplied to interviewer Puthoff 1. was supposed to be that of J.S. #16 latitude number was 18" off, being given as 02" instead of 20", somewhat less than 600 yards off.
- 2. Remote viewer and interviewer blind as to target location and target activity of interest.
- Pre- and post-session calibration experiments with Nat'l Geographic target material (Mount Kilimanjaro and Canyonlands Nat'l Park, Utah, respectively) yielded good results, indicating with high probability that remote viewer was "on-line" throughout viewing.



Date	21 April 1981; 0900 hrs	
Series		
Session No		
Target No.	J.S. #18	
Target		
Remote Viewer	#009	
Interviewer		
Beacon(s)	"Target"	•
Tape Cassette	116	

- 1. RV session run by COTR; SRI personnel not involved.
- 2. Remote viewer and interviewer blind as to target location and target activity of interest.
- 3. Pre-session calibration experiment with Nat'l Geographic target material (a site in Ireland) yielded good results, indicating remote viewer "on-line" at session start.

SRI International



Date 24 A	oril 1981; 0835 hrs	
Series		
Session No.		
Target No.	J.S. #19	
Target		
Remote Viewer	#009	
Interviewer		
Beacon(s)	"Target"	
Tape Cassette	117	
Comments ·		

- l. RV session run by COTR, SRI personnel not involved.
- Remote viewer and interviewer blind as to target location and 2. target activity of interest.
- Pre- and post-session calibration experiments with Nat'l Geographic target material (Sea of Galilee area; St. Vincent Is., Windward Is., respectively) yielded good results, indicating with good probability that remote viewer "on-line" during
- Remote viewer described experimental site, high-energy technology.



Date _	8	June	1981	0859	hrs	(Session	1);	9	June,	0854	hrs	(Session	2)
Series		9											
Session	No	•					 .						
Target	No.		J.S.	#20									
Target _		3			,			_	*				
Remote 1	View	er _		#002									
Intervie	ewer			H. Pu	thofi	f							
Beacon(s	;)·_	×	CRV (Coord	inate	Remote	Viewi	լ ոք	g)			3	
Tape Cas	set	te		118	3		<u> </u>			<u></u>			

- 1. Coordinate supplied to interviewer at beginning of Session 1.
- 2. Remote viewer and interviewer blind as to target location and target activity of interest.
- 3. Pre- and post-calibration experiments with Nat'l Geographic target materials yielded good results, indicating with good probability that remote viewer was "on-line" during viewings.*

4	•	

Session 1: Pre- Valdez, Alaska; Bora Bora; Port-Said; Post- Sitankai Session 2: Pre- Beachway, RI; Post- Mount Rainier.



Date 30 July	7 1981; 0907 hrs (Session 3)
Series	
Session No.	3
Target No.	J.S. #20
Target	
Remote Viewer _	#002
Interviewer	H. Puthoff
Beacon(s)	CRV (Coordinate Remote Viewing)
Tape Cassette _	#119

- 1. Continuation of scans carried out on 6/8/81, 6/9/81.
- 2. Remote viewer and interviewer blind as to target location and activity of interest.
- 3. Pre- and post-session calibration experiments with Nat'1. Geographic materials yielded good results (although post-session somewhat weaker), indicating with good probability that remote viewer was "on-line" during viewings, although not with great depth of contact.*

4.	

Pre-session calibration: Mt. Kilimanjaro, Aruba Island;
Post-session calibration: Seattle, Washington.

SRI International

47

333 Ravenswood Ave. • Menlo Park, CA 94025 • (415) 326-6200 • Cable: SRI INTL MNP • TWX: 910-373-1246



Date 3 August 1981, 0815 hrs (Session 4)
Series Table
Session No. 4
Target NoJ.S. #20
Target
Remote Viewer #002
Interviewer H. Puthoff
Beacon(s) CRV (Coordinate Remote Viewing)
Tape Cassette #120
Comments:
1. Continuation of scans carried out on $6/8/81$, $6/9/81$, $7/30/81$.
 Remote viewer and interviewer blind as to target location and activity of interest.
3. Pre- and post-session calibration experiments with Nat'l. Geographic materials yielded good results, indicating with good probability that remote viewer was "on-line" during remote viewer
4
* Pre-session calibrations: Antwerp, Belgium; Bora Bora Island
Post-session calibration: Erciyas Dagi (Mountain), Turkey.

SRI International

48



Date	4	August	1981,	0825	hrs	(Session	5)			
Series _		4		<u> </u>					 	
Session	No.		5						 	
					•					
Target N	٠٠. ₋	G .	0.~.					-	 	
Target _										
				ì						
Remote V	Viewe	er	#002						 	
Intervie	ewer		н.	Putho	off					
						Domoto V	d owing	`		
Beacon (s	s) —		JRV (Co	orali	ше	Remote V	Tewring.	,	 	
Tape Cas	sseti	te	#12	1					 	
-										

- 1. Continuation of scans carried out on 6/8/81, 6/9/81, 7/30/81, 8/3/81.
- 2. Remote viewer and interviewer blind as to target location and activity of interest.
- 3. Pre-session calibration experiments with Nat'l. Geographic materials yielded good results; post-session calibration experiments yielded correct descriptions but weak interpretations, indicating viewer went somewhat "off-line" during overall sequence.*
- 4.

Post-session calibrations: Robinson Crusoe Island; Dubrovnik, Yugoslavia.

SRI International

49

333 Ravenswood Ave. • Menlo Park, CA 94025 • (415) 326-6200 • Cable: SRI INTL MNP • TWX: 910-373-1246

Pre-session calibrations: Agung volcano; Florence, Italy



Date 5 A	ugust 1981, 0825 hrs (Session 6)
Series	
Session No.	6
Target No.	J.S. #20
Target	
Remote Viewer	#002
Interviewer	H. Puthoff
Beacon(s)	CRV (Coordinate Remote Viewing)
Tape Cassette	#122

- 1. Continuation of scans carried out on 6/8/81, 6/9/81, 7/30/81, 8/3/81, 8/4/81.
- 2. Remote viewer and interviewer blind as to target location and activity of interest.
- 3. Pre- and post-session calibration experiments with Nat'l. Geographic materials yielded good results, indicating with good probability that remote viewer was "on-line" during twiewings.*
- 4.

Pre-session calibration: Mt. Shasta

Post-session calibration: Vienna, Austria.

SRI International

50



Date 6 Aug	gust 1981; 0810 hrs		
Series		· · · · · · · · · · · · · · · · · · ·	
Session No.			
Target No.	J.S. #21		
Target			
Remote Viewer	#002		
Interviewer	H. Puthoff		<u>.</u>
Beacon(s)	CRV (Coordinate Remote Viewing)		
Tape Cassette	123	·	

- 1. Coordinate supplied to interviewer Puthoff at session start
- 2. Remote viewer and interviewer blind as to target location and target activity of interest.
- 3. Pre-, mid-, and post-session calibration experiments with Nat'l.

 Geographic target material (Hong Kong; Mt. Hood; and Kotor, Yugoslavia, respectively) yielded good results.
- 4. Remote viewer describes complex of buildings, with site having to do with high-energy, high-technology activity.



Date 15 S	eptember 1981; 0858 h	rs	
Series			
Session No	1		
Target No	J.S. #22		
Target			
Remote Viewer	#009		
Interviewer	H. Puthoff		
Beacon(s)	"Target"	· ·	. '
Tape Cassette	124		

- 1. Session monitored
- 2. Remote viewer, interviewer and monitor blind as to target location and target activity of interest.
- 3. Site accessed by abstract "Target," taken to correspond with a site chosen by COTR and known only to him at time of session.
- 4. Pre-session calibration with Nat'l. Geographic target site (Dubrovnik, Yugoslavia) good, indicating good conditions going into session.
- 5. Remote viewer described airfield location and associated buildings, including some interiors.

Appendix C

AN EXAMPLE OF A REMOTE VIEWING RESPONSE

Approved For Release 2000/08 P96-00788r001300280002-7



Appendix C

Date.	9 A ₁	oril 1981; 0853 - 0919 hrs
Serie	s	
Sessi	on No.	
Target	t No.	J.S. #17
Target		
Remote	e Viewer	#002
Interv	iewer _	H. Puthoff
Beacon	n(s)	CRV (Coordinate Remote Viewing)
Tape C	assette	115
Commen	ts:	
1.	was sup	cate supplied to interviewer Puthoff coordinate posed to be that of J.S. #16 but the number was 18" off, being given as 02" instead of 20", the less than 600 yards off.
2.	Remote a	viewer and interviewer blind as to target location and target y of interest.
3.	target respecti	naterial (Mount Kilimanjaro and Canyonlands Nat'l. Park, Utah, vely) yielded good results, indicating with high probability note viewer was "on-line" throughout
4.		

Approved For Release 2000/08/07 : CIA-RDP96-00788r001300280002-7 J.S. #17 Remote Viewer: 002 9 April 1981 Monitor: Hal Puthoff H: Today is April 9, 1981, Remote Viewer 002 and Hal Puthoff monitoring. J.S. #17. It is 8:53. unders Brown Hot rooffed. Break

frozen ground frozen ground

lake to N/2 flat area to south

A vez high
B?

Break

aol? * air strip?

TV or communeations relay — ?

*AOL - Analytical Overlay; images thought to be erroneous, being triggered imagination.

Possibly relevant, but not taken to be primary data.

Approved For Release 2000/08/07 : CIA-RDR96-00788r001300280002-7

V: This is a terrible place for some reason. I am having words like med biological, research, human use, human guinea pigs rather, prison fac

V: Chemicals and gas, a biological warfare place. This is like a decompression chamber. Maybe those are contamination chambers. Oh dear, what did we find. Who gave this coordinate? I came across it seems to be five rather complex chambers in a very large hangar like building. They remind me of the decompression chamber that we saw down at that marine research base on Catalina. A decompression place where people went if they came up from diving too fast. A complex chamber made of reinforced steel and concrete and things and it has tanks. They have tanks of various kinds leading into them.


Chemeals & gasses Riological warfares.

ools: Mudonlgas WWI -

*AOL - See previous page like decompression charlers in a lorge hanger-like building

Approved For Release 2000/08/07 CIA-REP96-00788r001300280002-7

There is the smell of disinfectant and ultra violet lights, purple light, lavendar light, inside this large hangar like building. The floor seems wet. People wear boots, very large rubber boots. There seem to be inside stairs going down. This place is maybe 40 ft high at least. There are these chamber units there, but there are stairs and an elevator going down. And a ramp and lift forks, so this is underground too. It's funny, there seems to be windows on the outside, but there aren't any windows on the inside. Fake windows. I seem to see what looks like a guard cubicle because it has all glass around, it is inside the building. comparison to the other cold lavendar lights, it has yellow illumination in it. There are six men there. There is a big panel, it seems to be a voltage control panel for some sort of electronics system. Down the ramp are very long corridors. It looks like storage. There are signs everywhere. I can't read the characters but the phoenetics is sort of There are blinking red lights over some doors here and there. I think these are exit markers.



Approved For Release 2

RDP96-00788r001300280002-7

V:

Outside the ground isn't flat, it is sort of like there are hills or artificially made mounds that sort of divide up this compound in a way. Buildings that look like barracks. A whole series of buildings that look like prefabricate boxes, that are sort of all stacked together. Water tank on the hill. Large tower I think and in the area there is an airstrip. It is about 2 miles to the NE I think. I am going to end there. I don't

At that Class A site there was a tall thing that I couldn't make out, I bet that that is a chimmney. I bet those are large furnaces.

Approved For Release 2000/08/07 : CIA-RDP96-00788r001300280002-7



Appendix D

RV EVALUATION PROTOCOLS

Appendix D

INSTRUCTIONS TO ANALYSTS (U)


(U) The information provided as enclosure to this report was obtained in
response to a collection requirement provided by
This information was acquired from a new and potentially valuable source
Work is currently being pursued to determine the accuracy,
reliability, and improvement potential of this source. Your remarks and
attention to the evaluation sheet will be the basis for our assessment of this
new collection technique. Therefore, the effort you expend will greatly assis
us and will ultimately result in you receiving more data of increasing accurac
and reliability.
and terraprirely

- (U) While formulating your judgements concerning the data, the following comments concerning this new source of Information may be helpful.
- (U) Foremost, the data is likely to consist of a mixture of correct and incorrect elements. Specifically:
 - (1) The <u>descriptive</u> elements are generally of higher reliability than <u>judgements or labels</u> as to what is being described (recreational swimming pool may be mistaken for water purification pools, an aircraft hull may be mistaken for a submarine hull, etc.). Therefore, seemingly appropriate descriptive elements should not be rejected because of mislabeling.
 - (2) The data often contain gaps (in a 3-building complex, for example, perhaps only two of the buildings may be described, and an airfield may be added that isn't there). Such gaps or additions should not be taken to mean that the rest of the data is necessarily inaccurate.
- information packet to obtain an overall "flavor" of the response, reserving final judgement even in the face of certain errors, and then go back through for detailed analysis.
- (U) If you have questions regarding the data you have received or on its evaluation please feel free to contact me at any time. Thank you.

	Approv	/ed Fo	r Relea	se 2000	/08/07:	CIA-RDP	96-00788	3r0013(00280002-7
	ø						-		: to
rerrar•	Not Applicable							de- at this time	the former to
	Unknown							Cannot be termined	g H
	, ×								but enough target site. matching, bu
	Excellent	· .						y Useful (
	Good 2							Very	
ACCURACY	Site Contact, with Mixed Results							Useful	and incorr probably
	Little Correspondence 0							Margi	Self explanatory. Mixture of correct andicate source has Good correspondence
	U	e on		on Area I	etc.)	, or		None	cy scale:
		descrip- , etc.)	silos,	element; tc.)	adminis	tivitie	iton ns, ities,	Ž I I I	accura ondence th
		Geographical locale description (terrain, water, etc.) Large-scale manmade elements		Small-scale manmade element: (antennas, computers, factor) (Grices, etc.) General target ambience (re	fon,	Relevant specific activities	Personality information (physical descriptions, actions, responsibilities, plans, etc.)	Overall utility	Definitions for the accuracy 0 - Little correspondence. 1 - Site contact with mixed results 2 - Good 3 - Excellent
		Ge La	co do ai	, S	ន 65	Re	Pr (F	8	* (U) DD 1
,	Approv	ed Fo	r Relea	se 200		RDP	96-00788	3r00130	00280002-7

Approved F	or Release 2000/08/07 : CIA-RDP96-00788r001300280002-7	
submitted material.	Unknown Applicable Unknown Applicable Cannot be de- termined at this time	Of the formers
SHEET PERSONNEL (U) as to the accuracy of the *	600d Excellent 2 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3	elements, but enough
SUMMARY EVALUATION SHEET The following boxes as to ACCURACY	Personnel Contact, with Nixed Results 1 1 Usseful	atory. correct and incorrect
Please check the fo		Scale: Self explanatory Mixture of corre
For the summary evaluation,	Geographical locale descripti Dress appearance (uniform, formal, casual, etc.) Physical appearance (height, weight, scars, hair color etc General health characteristics (mental, state, demeanor, etc Relevant past responsibilities activities Relevant current responsibilities/activities Governments, agencies, persons responsible to/associated with responsible to/associated with	0 - Little correspondence
(<u>n</u>)	or Release 2000/08/07 : C 388r001300280002-7	

Approved For Release 2000/08/07: CIA-RDP96-00788r001300280002-7



() DETAILED EVALUATION SHEET (U)

Specific Transcript/Drawing Items

Evaluation

Reference


- 1. ()
- 2. ()
- 3. ()
- 4. ()
- 5. ()
- 6, ()
- 7. ()
- 8. ()
- 9. ()
- 10. ()
- 11. ()
- 12. ()

Approved For Release 2000/08/07:6CIA-RDP96-00788r001300280002-7

^{* 0} to 3 point scale of previous page.

Approved For Release 2000/08/07 : CJA-RDP96 00708701300280002-7

		•	
Additi	onal information desired?	Yes	No
Priori	y Urgent	date	Routine
() Items	1. ()		
	2. ()		
	3. ()		·
	4. ()		



Appendix E

A SAMPLE RETURNED EVALUATION PROTOCOL

	_	ACCURACY*				
	Little Correspondence	Site Contact, with Mixed Results	Good 2	Excellent	Unknown	Not Applicable
Geographical locale description (terrain, water, etc.)		\boxtimes				
Large-scale manmade elements (cities, buildings, silos, docks, railroad lines, airfields, etc.)				\boxtimes		
Small-scale manmade elements (antennas, computers, offices, etc.)	Ç.					
General target ambience (research, production, administration, storage,				\boxtimes		
				\boxtimes		
Personality information (physical descriptions, actions, responsibilities, plans, etc.)					\boxtimes	
Overall utility None	Marginal [Useful 🔀] v	ery Useful	Cannot be	de- at this time
(U) Definitions for the accuracy sca 0 - Little correspondence 1 - Site contact with	. Self explanat . Mixture of co indicate sour . Good correspo . Good correspo	rrect and incorr ce has probably	accesse eral ele mbiguous	ed the target sements matching	ite. , but some ir	ncorrect inform

() DETAILED EVALUATION SHEET (U)

Specific Transcript/Drawing Items	Evaluation*	Referenc
1. () Identification	3	IS #
2. () Association with prison facility	3	, 1
3. () Geographical Location	1	, (
4. () Burners	እ	1 1
5. () Presence of towers and furnices	2	e te
6. () Series of chambers	,2	
7. () smell of disinfectants and presence of uv lights	3	"
Air field	·	
9. () Neurly Lake	U	1,
10. () Vaderground	ļ	1,
11. ()		

12. ()

^{*0} to 3 point scale of previous page.

Approved For Release 2000/08/07: CIA-RDP96-00788r001300280002-7 Additional information desired? Priority Urgent July Aug 1931 Routine () Items 1. () Check out chambers again 2. () Vader ground Pertical 3. ()

4. () Is facility only a standby